

#### **ANALYZED BY:**

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



#### **CUSTOMER:**

Lolli Soda Company LLC 3007 Washington Blvd Suite 220 Marina Del Rey, CA 90292

#### **SAMPLE INFORMATION**

Date Collected: 02/11/2025 Sample No.: Product Name: LOLLI-CHE-FINISHEDPACKAGE Date Received: 02/13/2025 Edible (Beverage) **Date Reported: 02/18/2025** 

CBC-LOL-CCLA-003-004 (Mid)

**TEST SUMMARY** 

Pass **Cannabinoid Profile:** Pass **Pesticide Residue Screen:** Pass Heavy Metal Screen: Mycotoxin Screen: Pass

Microbiological Screen:

Pass Pass

**Residual Solvent Screen:** Foreign Material:

Pass

02/18/2025

### Cannabinoid Profile Pass

Method: MF-CHEM-15

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

**Limit of Detection** 0.0008 mg/g Limit of Quantitation 0.0025 mg/g

| Cannabinoid            | mg/g   | %       | mg/ml  | mg/package | Labeled mg/package | % Difference | Status |
|------------------------|--------|---------|--------|------------|--------------------|--------------|--------|
| Δ8-THC                 | ND     | ND      | ND     | ND         | -                  | -            | -      |
| Δ9-ΤΗС                 | 0.0279 | 0.00279 | 0.0289 | 10.26      | 10                 | 2.55         | Pass   |
| Δ9-ΤΗСΑ                | ND     | ND      | ND     | ND         | -                  | -            | -      |
| THCV                   | ND     | ND      | ND     | ND         | -                  | -            | -      |
| THCVA                  | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBD                    | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBDA                   | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBC                    | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBCA                   | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBDV                   | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBG                    | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBGA                   | ND     | ND      | ND     | ND         | -                  | -            | -      |
| CBN                    | ND     | ND      | ND     | ND         | -                  | -            | -      |
| Total THC              | 0.0279 | 0.00279 | 0.0289 | 10.26      | -                  | -            | -      |
| Total CBD              | ND     | ND      | ND     | ND         | -                  | -            | -      |
| Total Cannabinoids     | 0.0279 | 0.00279 | 0.0289 | 10.26      | -                  | -            | -      |
| Sum of<br>Cannabinoids | 0.0279 | 0.00279 | 0.0289 | 10.26      | -                  | -            | -      |

Package Weight (g) 367.5670 g/ml Conversion 1.0354 Factor

Total THC =  $\Delta 8$ -THC +  $\Delta 9$ -THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

### Microbiological Screen Pass

02/18/2025

| Analyte    | Method      | Findings         | Units | Status |
|------------|-------------|------------------|-------|--------|
| Salmonella | MF-MICRO-11 | Not Detected/25g | /1g   | Pass   |
| STEC       | MF-MICRO-18 | Not Detected/25g | /1g   | Pass   |

### Pesticide Residue Screen Pass

02/18/2025

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte     | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------|----------------|-----------------|--------------|--------|
| Abamectin   | 0.04/0.10      | ND              | 0.3          | Pass   |
| Acephate    | 0.02/0.06      | ND              | 5.0          | Pass   |
| Acequinocyl | 0.04/0.10      | ND              | 4.0          | Pass   |

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1278796 Lot #: CBC-LOL-CCLA-003-004 (Mid)

Page **1** of **4** Report ID: S-4



| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Acetamiprid             | 0.017/0.05     | ND              | 5.0          | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0         | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 5.0          | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5          | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 10.0         | Pass   |
| Captan                  | 0.2/0.6        | ND              | 5.0          | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.5          | Pass   |
| Carbofuran              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0         | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorfenapyr            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.5          | Pass   |
| Coumaphos               | 0.02/0.06      | ND<br>ND        | 0.02         | Pass   |
|                         |                | ND<br>ND        |              |        |
| Cyfluthrin              | 0.10/0.30      |                 | 1.0          | Pass   |
| Cypermethrin            | 0.10/0.30      | ND<br>NB        | 1.0          | Pass   |
| Daminozide              | 0.017/0.05     | ND<br>NB        | 0.017        | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04     | ND              | 0.013        | Pass   |
| Diazinon                | 0.017/0.05     | ND              | 0.2          | Pass   |
| Dimethoate              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Dimethomorph            | 0.017/0.05     | ND              | 20.0         | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etoxazole               | 0.02/0.06      | ND              | 1.5          | Pass   |
| Fenhexamid              | 0.017/0.05     | ND              | 10.0         | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0         | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0          | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0          | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0          | Pass   |
| Malathion               | 0.017/0.05     | ND              | 5.0          | Pass   |
| Metalaxyl               | 0.017/0.05     | ND              | 15.0         | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Methomyl                | 0.013/0.04     | ND<br>ND        | 0.02         | Pass   |
|                         |                |                 | 0.02         |        |
| Methyl parathion        | 0.02/0.06      | ND<br>ND        |              | Pass   |
| Mevinphos               | 0.02/0.06      | ND<br>NB        | 0.02         | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0          | Pass   |
| Naled                   | 0.017/0.05     | ND              | 0.5          | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.2          | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Pentachloronitrobenzene | 0.017/0.05     | ND              | 0.2          | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 20.0         | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.2          | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0          | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.4          | Pass   |
| Propiconazole           | 0.02/0.06      | ND              | 20.0         | Pass   |
| Propoxur                | 0.013/0.04     | ND              | 0.013        | Pass   |
| Pyrethrins              | 0.15/0.50      | ND              | 1.0          | Pass   |
| Pyridaben               | 0.017/0.05     | ND              | 3.0          | Pass   |
| Spinetoram              | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spinosad                | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spiromesifen            | 0.04/0.10      | ND              | 12.0         | Pass   |
| Spirotetramat           | 0.02/0.06      | ND              | 13.0         | Pass   |
| Spiroxamine             | 0.017/0.05     | ND              | 0.017        | Pass   |
| Tebuconazole            | 0.02/0.06      | ND<br>ND        | 2.0          | Pass   |
| Thiacloprid             | 0.013/0.04     | ND<br>ND        | 0.013        | Pass   |
| LITIGUIUIU              | 0.013/0.04     | שוו             | 0.013        | Pd55   |
| Thiamethoxam            | 0.02/0.06      | ND              | 4.5          | Pass   |



**Residual Solvent Screen OP** Pass

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5       | ND             | 1           | Pass   |
| Acetone                              | 57/200        | ND             | 5000        | Pass   |
| Acetonitrile                         | 56/200        | ND             | 410         | Pass   |
| Benzene                              | 0.5/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 45/200        | ND             | 5000        | Pass   |
| Chloroform                           | 0.5/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 37/200        | 590.00         | 5000        | Pass   |
| Ethyl acetate                        | 38/200        | ND             | 5000        | Pass   |
| Ethyl ether                          | 37/200        | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0.1/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 135/200       | ND             | 5000        | Pass   |
| n-Hexane                             | 49/200        | ND             | 290         | Pass   |
| Isopropyl alcohol                    | 57/200        | ND             | 5000        | Pass   |
| Methanol                             | 37/200        | ND             | 3000        | Pass   |
| Methylene chloride                   | 0.1/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 37/200        | ND             | 5000        | Pass   |
| Propane                              | 72/200        | ND             | 5000        | Pass   |
| Toluene                              | 49/200        | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200        | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0.5/0.5       | ND             | 1           | Pass   |

**Heavy Metal Screen** • Pass

Method:

MF-CHEM-16

02/18/2025

02/18/2025

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05      | ND              | 1.5          | Pass   |
| Cadmium | 0.02/0.05      | ND              | 0.5          | Pass   |
| Mercury | 0.02/0.05      | ND              | 3            | Pass   |
| Lead    | 0.02/0.125     | ND              | 0.5          | Pass   |

Foreign Material Pass

02/18/2025

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |  |
|--------------------------------|----------|----------|--------|--|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |  |
| Mold                           | ND       | 25%      | Pass   |  |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |  |
| Insect Fragment                | ND       | 1 per 3g | Pass   |  |
| Hair                           | ND       | 1 per 3g | Pass   |  |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |  |

**Mycotoxin Screen** Pass

02/18/2025

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | -             | -      |
| Aflatoxin B2     | 2/5             | ND               | -             | -      |
| Aflatoxin G1     | 2/5             | ND               | -             | -      |
| Aflatoxin G2     | 2/5             | ND               | -             | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 6/18            | ND               | 20            | Pass   |

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1278796 Lot #: CBC-LOL-CCLA-003-004 (Mid)

Page 3 of 4 Report ID: S-4



ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



Scan to verify

## Reported by

